

BEVERLY HILLS PEDIATRICS

DOSE ALL MEDICATIONS BELOW BASED ON WEIGHT, WHICH MAY NOT CORRESPOND WITH AGE

DOSING CHART FOR **ACETAMINOPHEN** (TYLENOL) to be given every 4 hours as needed.

Infant Acetaminophen comes in two different concentrations. Please check the concentration of your child's medication (8.0mg/0.8ml vs. 160mg/5ml) and use our dosing sheet accordingly.

Age	weight	concentrated infant drops 80mg/0.8ml	infant/childrens liquid susp 160mg/5ml	chewable tabs 80mg
0-3 mo	6-11 lbs	0.4ml	1/4 tsp (1.25 ml)	--
4-9 mo	12-15 lbs	0.8ml	1/2 tsp (2.5 ml)	one tab
9-12 mo	16-21lbs	1.2 ml	3/4 tsp (3.75 ml)	1.5 tabs
12-23 mo	22-32lbs	1.6ml	one tsp (5 ml)	2 tabs
2-3 yrs	33-40lbs		1 1/2 tsp (7.5 ml)	3 tabs
4-5yrs	41-54lbs		2 tsp (10 ml)	4 tabs
6-8 yrs	55-64 lbs		2 1/2 tsp (12.5 ml)	5 tabs
9-10yrs	65-88lbs		3 tsp (15 ml)	6 tabs

DOSING CHART FOR **IBUPROFEN** (ADVIL and MOTRIN) to be given every 6 hours as needed

****do not give to children under 6months****

Age	weight	infant drops 50mg/1.25ml	childrens liquid susp 100mg/5ml	chew tabs 50mg	jr chewable tab 100mg
6-9 mo	12-15 lbs	1.25ml	1/2 tsp (2.5 ml)	one tab	
9-12 mo	16-21lbs	1.875 ml	3/4 tsp (3.75 ml)		
12-23 mo	22-32lbs	2.5ml	one tsp (5 ml)	2 tabs	one tab
2-3 yrs	33-40lbs		1 1/2 tsp (7.5 ml)	3 tabs	1 1/2 tab
4-5yrs	41-54lbs		2 tsp (10 ml)	4 tabs	2 tabs
6-8 yrs	55-64 lbs		2 1/2 tsp (12.5 ml)	5 tabs	2 1/2 tabs
9-10yrs	65-88lbs		3 tsp (15 ml)	6 tabs	3 tabs

DOSING CHART FOR **OTHER CHILDREN'S LIQUID PREPARATIONS** (cough, cold etc.)

Diphenhydramine (Benadryl), Dimetapp, Triaminic etc.

****COUGH AND COLD MEDICATIONS ARE NOT RECOMMENDED FOR CHILDREN UNDER 4 YEARS OF AGE****

****Diphenhydramine** (Benadryl) may be used in children under 4 years of age for allergy purposes only **

Age	weight	dose	frequency
6-11 mo	12-17 lbs	1/2 tsp (2.5 ml)	every 6 hrs
1-2 yrs	18-30 lbs	one tsp (5 ml)	every 6 hrs
3-6 yrs	31-44 lbs	1 1/2 tsp (7.5 ml)	every 6 hrs
6-12 yrs	45 lbs and up	2 tsp (10 ml)	every 6 hrs